



METHOD OF BONDING CARPET













JP1203825

Publication date:

1989-08-16

Inventor(s):

SAKAI GENZABURO; others: 01

Applicant(s)::

ADOHEYA SANSHO KK; others: 01

Requested Patent:

☐ JP1203825

Application Number: JP19880026250 19880205

Priority Number(s):

IPC Classification:

F24D13/02


EC Classification:


Equivalents:


Abstract


PURPOSE:To make it possible to carry out a simple and positive carpet bonding operation by arranging end parts of confronting carpets on a bonding tape in a butting manner when a plurality of carpets are laid, and applying a high-frequency magnetic field thereto. CONSTITUTION:A bonding tape 3 prepared by applying a hot melt type bonding agent on the surface of a conductive base material is laid on a floor surface 1, and parts 2a and 2a where carpets 2 and 2 are butted are placed thereon. By moving a device (an induction heating device) 4 for generating a high-frequency magnetic field form the upper part of the bonding tape 3 wile generating the high-frequency magnetic field and pressing the same along the butting parts 2a and 2a, the conductive substrate 5 of the bonding tape 3 is heated by the highfrequency magnetic field and a bonding agent layer 6 is melted and successively bonded.

Data supplied from the esp@cenet database - I2













据 7 图 (a)











2K A E3

₹.

